



WOYR2.E61705
Switches, Appliance and Special Use - Component

Enhanced searching capability for this category can be found in UL's iQ Family of Databases (iq.ul.com).

[Page Bottom](#)

Switches, Appliance and Special Use - Component

[See General Information for Switches, Appliance and Special Use - Component](#)

OTTO

E61705

2 E MAIN ST

CARPENTERSVILLE, IL 60110 USA

Cat. No.	Amps	Volts	Hz	Load	Endurance	Temp C	POL/THR	Per Pole/Circuit Code	SPCOA
5-51115 f/b -5 thru -9, f/b 00 thru 99									
	4	120	60	GP	6K	85	1/M	-/-	Note 2
	2	240	60	GP	6K				
5-51116-5, 5-51116-6 or 5-51116-7 f/b 00 thru 99									
	4	120	60	GP	6K	85	1/M	-/-	-
	2	240	60	GP	6K				
B-2, B-3, B-5 f/b 0000 thru 9999, f/b 3									
	1	125-250	60	R	6K	55	1/2	-/-	-
	0.5	125	DC	-	6K				
	2.23	28	DC	-	6K				
B2-3, B2-4 or B2-5 f/b 00000 thru 99999									
	7	125-250	60	R	6K	55	1/2	-/-	-
	0.5	125	DC	-	6K				
	2.23	28	DC	-	6K				
B3-31111, B3-31121, B3-31141, B3-32111, B3-32121, B3-32141, B3-41111, B3-41121, B3-41141, B3-42111, B3-42121, B3-42141									
	7	125-250	60	R	6K	150	1/2	-/-	-
B5-1 f/b 1 thru 4, f/b 1, f/b 1 thru 4, f/b 1									
	10.1	125-250	60	R	6K	55	1/2	-/-	Note 1
	5	125-250	60	GP	6K				
K1 f/b A thru F or O, f/b A thru F or O, f/b A thru G or O, f/b A thru T or O may be f/b additional suffixes									
	10.1	125-250	60	GP	6K	65	1/M	-/-	2, Note 2, A1
	-	250	60	1/3hp	6K				
	8	48	DC	GP	6K				
	8	48	DC	T	6K				


	-	250	60	1/3hp	6K				
K2 f/b A thru F or O, f/b A thru F or O, f/b A thru P or O, f/b A thru T or O may be f/b additional suffixes									
	10.1	125-250	60	GP	6K	65	1/M	-/-	2, Note 2, A1
	8	48	DC	GP	6K				
	8	48	DC	T	6K				
LP3 f/b suffixes									
	10	125	60	R	6K	65	M/M	-/-	2, Note 2
	5	125	60	GP	6K				
	10	28	DC	-	6K				
LP5 f/b suffixes									
	10	125	60	R	6K	65	1/M	-/-	2, Note 2
	5	125	60	GP	6K				
	10	28	DC	-	6K				
P1 f/b suffixes									
	10	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10	28	DC	-	6K				
	1	48	DC	-	100K				
P3 maybe f/b -D, f/b suffixes									
	10	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10	28	DC	-	6K				
P5, maybe f/b -D, f/b suffixes									
	10	125	60	R	6K	65	1/M	-/-	Note 2
	5	125	60	GP	6K				
	10	28	DC	-	6K				
P7 maybe f/b -D, f/b suffixes									
	5	125	60	R	6K	65	M/M	-/-	Note 2
	5	30	DC	-	6K				
P8 maybe f/b -A, -D, -V, f/b suffixes									
	10.1	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10.1	48	DC	-	6K				
P9 f/b 1 thru 9, f/b 0 thru 9, f/b 0 thru 9, f/b 0 thru 9, f/b 0 thru 9									
	5	125	60	R	6K	65	1/1	-/-	Note 2
	5	30	DC	-	6K				
T7 f/b 1 or 2, f/b 1, 2 or 3, f/b 1 or 2, f/b A thru H, J or K, f/b 1 to 5, f/b blank, 1, 2 or 3									
	10.1	125	60	GP	6K	65	M/M	-/-	-
U2-171	0.5	30	DC	-	6K	55	1/2	-/-	-

	7	125	60	R	6K				
	7	250	60	R	6K				
U2-172	0.5	125	DC	-	6K	55	1/2	-/-	-
	5	125	60	R	6K				
	5	250	60	R	6K				
U2-261	10.1	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10.1	48	DC	-	6K				
U2-288	10.1	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10.1	48	DC	-	6K				
U2-293	10.1	125	60	R	6K	65	M/M	-/-	Note 2
	5	125	60	GP	6K				
	10.1	48	DC	-	6K				
U3 f/b 001 thru 999									
	7	125-250	60	R	6K	55	2/2	-/-	-
U4 f/b 001 thru 999									
	1	125-250	60	R	6K	55	2/2	-/-	-
U5 f/b 001 thru 999									
	7	125-250	60	R	6K	55	1/2	-/-	-
U6 f/b 001 thru 999									
	1	125-250	60	R	6K	55	1/2	-/-	-

Note 1 - Not for use where opposite polarity exists between N.O. and N.C. terminals.

Note 2 - These switches were evaluated to the requirements in UL 1500, the Standard for Safety for Ignition-Protection Test for Marine Products and thus can be marked "Ignition Protected".

Marking: Markings on the switch body consist of at least items (a) and (b) or (c) as noted below (other markings shall be on the smallest shipping package):

- (a) Manufacturer's identifier (such as name or trademark, as described in the UL file)
- (b) Electrical ratings
- (c) Catalog or model number (or equivalent)
- (d) Factory code (as described in the UL Report, if more than one location)
- (e) Recognized Component Mark, 

[Last Updated](#) on 2009-11-02

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"